


Muffen-Verschluß Typ DP

Female Dust Plugs Type DP




Schlauch Hose		Maßzahlen Dimensions		Artikel Article	Bestell-Nummer Order-No.	Preis Price €
DN	inch	L	L2			
15	1/2"	37	26	ZDP015	ZDP - DN 15	*)
20	3/4"	37	25	ZDP020	ZDP - DN 20	*)
25	1"	44	32	ZDP025	ZDP - DN 25	*)
32	1 1/4"	55	41	ZDP032	ZDP - DN 32	*)
40	1 1/2"	64	44	ZDP040	ZDP - DN 40	*)
50	2"	68	48	ZDP050	ZDP - DN 50	*)
65	2 1/2"	70	50	ZDP065	ZDP - DN 65	*)
80	3"	80	56	ZDP080	ZDP - DN 80	*)
100	4"	80	56	ZDP100	ZDP - DN 100	*)

Camlock-Stecker Typ A

mit BSPT-Innengewinde, DIN 2999

Coupling Male Type A

with BSPT thread, DIN 2999



Schlauch Hose		Maßzahlen Dimensions			Artikel Article	Bestell-Nummer Order-No.	Preis Price €
DN	inch	L	L2	K			
15	1/2"	45	35	53	ZDC015	ZDC - DN 15	*)
20	3/4"	45	35	54	ZDC020	ZDC - DN 20	*)
25	1"	54	42	61	ZDC025	ZDC - DN 25	*)
32	1 1/4"	65	51	79	ZDC032	ZDC - DN 32	*)
40	1 1/2"	69	52	83	ZDC040	ZDC - DN 40	*)
50	2"	78	59	94	ZDC050	ZDC - DN 50	*)
65	2 1/2"	83	64	109	ZDC065	ZDC - DN 65	*)
80	3"	88	65	130	ZDC080	ZDC - DN 80	*)
100	4"	94	70	158	ZDC100	ZDC - DN 100	*)

*) Bitte Preisliste anfordern!


*) Please, request price list!

Camlock-Muffe Typ D

mit BSPT-Innengewinde, DIN 2999

Coupling Female Type D

with BSPT thread, DIN 2999




Schlauch Hose DN	inch	Gewinde Thread R1	Maßzahlen Dimensions			Artikel Article	Bestell-Nummer Order-No.	Preis Price €
			L	L2	K			
15	1/2"	1/2"	52	32	53	ZD015	ZD - DN 15	*)
20	3/4"	3/4"	52	32	54	ZD020	ZD - DN 20	*)
25	1"	1"	62	40	61	ZD025	ZD - DN 25	*)
32	1 1/4"	1 1/4"	68	48	79	ZD032	ZD - DN 32	*)
40	1 1/2"	1 1/2"	71	49	83	ZD040	ZD - DN 40	*)
50	2"	2"	78	54	94	ZD050	ZD - DN 50	*)
65	2 1/2"	2 1/2"	85	59	109	ZD065	ZD - DN 65	*)
80	3"	3"	90	60	130	ZD080	ZD - DN 80	*)
100	4"	4"	96	62	158	ZD100	ZD - DN 100	*)

Camlock-Stecker Typ A

mit BSPT-Innengewinde, DIN 2999

Coupling Male Type A

with BSPT thread, DIN 2999



Schlauch Hose DN	inch	Gewinde Thread R1	Maßzahlen Dimensions			Artikel Article	Bestell-Nummer Order-No.	Preis Price €
			L	C	K			
15	1/2"	1/2"	38	16	32	ZA015	ZA - DN 15	*)
20	3/4"	3/4"	38	21	32	ZA020	ZA - DN 20	*)
25	1"	1"	48	24	40	ZA025	ZA - DN 25	*)
32	1 1/4"	1 1/4"	56	28,5	48	ZA032	ZA - DN 32	*)
40	1 1/2"	1 1/2"	60	36	56	ZA040	ZA - DN 40	*)
50	2"	2"	64	45	67	ZA050	ZA - DN 50	*)
65	2 1/2"	2 1/2"	87	56,5	83	ZA065	ZA - DN 65	*)
80	3"	3"	73	73	96	ZA080	ZA - DN 80	*)
100	4"	4"	78	98	127	ZA100	ZA - DN 100	*)


*) Bitte Preisliste anfordern!

*) Please, request price list!

Camlock-Muffe Typ C

mit Schlauchanschluß

**Female Hose Coupling
Shank Type C**




Schlauch Hose		Maßzahlen Dimensions					Artikel Article	Bestell-Nummer Order-No.	Preis Price €
DN	inch	L	L2	C	D	K			
15	1/2"	92	32	14	20	53	ZC015	ZC - DN 15	*)
20	3/4"	92	32	14	20	54	ZC020	ZC - DN 20	*)
25	1"	105	40	20	26	61	ZC025	ZC - DN 25	*)
32	1 1/4"	118	48	25	33	79	ZC032	ZC - DN 32	*)
40	1 1/2"	121	49	31	39	83	ZC040	ZC - DN 40	*)
50	2"	138	54	43	52	94	ZC050	ZC - DN 50	*)
65	2 1/2"	155	59	55	65	109	ZC065	ZC - DN 65	*)
80	3"	164	60	67	77	130	ZC080	ZC - DN 80	*)
100	4"	175	62	92	103	158	ZC100	ZC - DN 100	*)

Camlock-Stecker Typ E

mit Schlauchanschluß

**Male Hose Coupling
Shank Type E**



Schlauch Hose		Maßzahlen Dimensions					Artikel Article	Bestell-Nummer Order-No.	Preis Price €
DN	inch	L	L2	A	C	D			
15	1/2"	98	40	14	33	20	ZE015	ZE - DN 15	*)
20	3/4"	98	40	14	33	20	ZE020	ZE - DN 20	*)
25	1"	110	46	20	39	26	ZE025	ZE - DN 25	*)
32	1 1/4"	121	53	25	48	33	ZE032	ZE - DN 32	*)
40	1 1/2"	125	56	31	56	39	ZE040	ZE - DN 40	*)
50	2"	140	60	43	66	52	ZE050	ZE - DN 50	*)
65	2 1/2"	158	64	55	80	65	ZE065	ZE - DN 65	*)
80	3"	170	66	67	102	77	ZE080	ZE - DN 80	*)
100	4"	182	69	92	132	102	ZE100	ZE - DN 100	*)

*) Bitte Preisliste anfordern!


*) Please, request price list!

Camlock-Muffe Typ B

mit BSPT-Außengewinde, DIN 2999

Coupling Female Type B

DIN 2999




Schlauch Hose		Gewinde Thread R1	Maßzahlen Dimensions				Artikel Article	Bestell-Nummer Order-No.	Preis Price €
DN	inch		L	L2	D	K			
15	1/2"	1/2"	52	32	16	53	ZB015	ZB - DN 15	*)
20	3/4"	3/4"	52	32	19	54	ZB020	ZB - DN 20	*)
25	1"	1"	62	40	26	61	ZB025	ZB - DN 25	*)
32	1 1/4"	1 1/4"	68	48	33	79	ZB032	ZB - DN 32	*)
40	1 1/2"	1 1/2"	71	49	39	83	ZB040	ZB - DN 40	*)
50	2"	2"	78	54	50	94	ZB050	ZB - DN 50	*)
65	2 1/2"	2 1/2"	85	59	61	109	ZB065	ZB - DN 65	*)
80	3"	3"	90	60	75	130	ZB080	ZB - DN 80	*)
100	4"	4"	101	62	98	158	ZB100	ZB - DN 100	*)

Camlock-Stecker Typ F

mit BSPT-Außengewinde, DIN 2999

Coupling Male Type F

DIN 2999



Schlauch Hose		Gewinde Thread R1	Maßzahlen Dimensions				Artikel Article	Bestell-Nummer Order-No.	Preis Price €
DN	inch		L	L2	C	K			
15	1/2"	1/2"	56	38	21	32	ZF015	ZF - DN 15	*)
20	3/4"	3/4"	56	38	21	32	ZF020	ZF - DN 20	*)
25	1"	1"	72	48	24	40	ZF025	ZF - DN 25	*)
32	1 1/4"	1 1/4"	80	56	28,5	48	ZF032	ZF - DN 32	*)
40	1 1/2"	1 1/2"	84	60	36	56	ZF040	ZF - DN 40	*)
50	2"	2"	88	62	45	67	ZF050	ZF - DN 50	*)
65	2 1/2"	2 1/2"	100	69	56,5	83	ZF065	ZF - DN 65	*)
80	3"	3"	106	73	73	96	ZF080	ZF - DN 80	*)
100	4"	4"	114	78	98	127	ZF100	ZF - DN 100	*)


*) Bitte Preisliste anfordern!

*) Please, request price list!

NBR-Dichtringe

für Camlock-Muffen

NBR Seals for Camlock-Female




DN	Schlauch Hose inch	Artikel Article	Bestell-Nummer Order-No.	Preis Price €
15	1/2"	JCAMNBR015	JCAMNBR - DN 15	*)
20	3/4"	JCAMNBR020	JCAMNBR - DN 20	*)
25	1"	JCAMNBR025	JCAMNBR - DN 25	*)
32	1 1/4"	JCAMNBR032	JCAMNBR - DN 32	*)
40	1 1/2"	JCAMNBR040	JCAMNBR - DN 40	*)
50	2"	JCAMNBR050	JCAMNBR - DN 50	*)
65	2 1/2"	JCAMNBR065	JCAMNBR - DN 65	*)
80	3"	JCAMNBR080	JCAMNBR - DN 80	*)
100	4"	JCAMNBR100	JCAMNBR - DN 100	*)

Silikon-Dichtringe

für Camlock-Muffen

Silicone Seals for Camlock-Female



DN	Schlauch Hose inch	Artikel Article	Bestell-Nummer Order-No.	Preis Price €
15	1/2"	JCAMS015	JCAMS - DN 15	*)
20	3/4"	JCAMS020	JCAMS - DN 20	*)
25	1"	JCAMS025	JCAMS - DN 25	*)
32	1 1/4"	JCAMS032	JCAMS - DN 32	*)
40	1 1/2"	JCAMS040	JCAMS - DN 40	*)
50	2"	JCAMS050	JCAMS - DN 50	*)
65	2 1/2"	JCAMS065	JCAMS - DN 65	*)
80	3"	JCAMS080	JCAMS - DN 80	*)
100	4"	JCAMS100	JCAMS - DN 100	*)


*) Bitte Preisliste anfordern!

*) Please, request price list!

Preßfassungen

für Lebensmittel-Schlauch

Food Hoses Ferrules



Schlauch Hose		Maßzahlen Dimensions						Artikel Article	Bestell-Nummer Order-No.	Preis Price €
DN	Ø Max	A	B	C	D	E	F			
13	23	31,5	29	30	20	24	26,5	810421324	810421324	*)
19	32	31,5	29	39	26	33	35,5	810421933	810421933	*)
25	39	31,5	29	46	33,5	40	42,5	810422540	810422540	*)
32	48	40,5	37,5	55	39	48,5	51	810423248	810423248	*)
38	52	42	38,5	58,5	44	52,5	54	810423852	810423852	*)
38	56	41,5	38	63	44	57	58,5	810423857	810423857	*)
40	54	41,5	38	61	46	55	57,5	810424055	810424055	*)
40	60	41,5	38	67	47	61	63,5	810424061	810424061	*)
50	63	50	46,5	70	56	64	65,5	810425064	810425064	*)
50	68	50	46,5	76	56	69	71,5	810425069	810425069	*)
50	73	50	46,5	80	56	73,5	76	810425073	810425073	*)
63/65	79	61	58	88	72,5	80	81,5	810426580	810426580	*)
63/65	93	61	58	101,5	72	93,5	95	810426593	810426593	*)
70	89	*)	*)	*)	*)	*)	*)	810427090	810427090	*)
75/80	94	66	63	103	85	94,5	97,5	810427595	810427595	*)
75/80	106	66	63	115	85	106,5	109,5	8104275107	8104275107	*)
100	122	70,5	67,5	131	112	123	126	81042100123	81042100123	*)
100	134	70,5	67,5	144	112	135	138	81042100135	81042100135	*)


*) Bitte Preisliste anfordern!

*) Please, request price list!

Preßarmatur

mit Dichtkopf und Überwurfmutter DIN 11851

Swivel Female DIN 11851




Schlauch Hose DN	Gewinde Thread R1	Maßzahlen Dimensions						Artikel Article	Bestell-Nummer Order-No.	Preis Price €
L	L2	A	C	D	E					
20	44x1/6"	*)	*)	*)	*)	*)	*)	ZRA1004420	ZRA1004420	*)
25	52x1/6"	52,5	24,5	26,5	21,5	35	63	ZRA1005225	ZRA1005225	*)
32	58x1/6"	64,3	32	32	27	41	70	ZRA1005832	ZRA1005832	*)
38	65x1/6"	65,5	32,5	37,2	33	48	78	ZRA1006538	ZRA1006538	*)
40	65x1/6"	64,3	31	39,5	34	48	78	ZRA1006540	ZRA1006540	*)
50	78x1/6"	76,5	41,5	51,8	44,5	61	92	ZRA1007850	ZRA1007850	*)
65	95x1/6"	93,6	53	65	58	79	112	ZRA1009565	ZRA1009565	*)
75	110x1/4"	102,8	58	78	71	93	127	ZRA10011080	ZRA10011080	*)
80	110x1/4"	*)	*)	*)	*)	*)	*)	ZRA10011080	ZRA10011080	*)
100	130x1/4"	112,5	62,5	102	97	114	148	ZRA100130100	ZRA100130100	*)

Preßarmatur

mit Außengewinde DIN 11851

Fixed Male DIN 11851




Schlauch Hose DN	Gewinde Thread R1	Maßzahlen Dimensions					Artikel Article	Bestell-Nummer Order-No.	Preis Price €
L	L2	A	C	D					
20	44x1/6"	*)	*)	*)	*)	*)	ZRA11254420	ZRA11254420	*)
25	52x1/6"	59,5	24,5	26,5	21,5	36	ZRA1125225	ZRA1125225	*)
32	58x1/6"	71,3	32	32	27	45	ZRA1125832	ZRA1125832	*)
38	65x1/6"	69,5	32,5	37,2	33	48	ZRA1126538	ZRA1126538	*)
40	65x1/6"	68,3	31	39,5	34	48	ZRA1126540	ZRA1126540	*)
50	78x1/6"	79,5	41,5	51,8	44,5	61	ZRA1127850	ZRA1127850	*)
65	95x1/6"	98,8	53	65	58	76	ZRA1129565	ZRA1129565	*)
75	110x1/4"	110,8	58	78	71	92	ZRA11211080	ZRA11211080	*)
100	130x1/4"	122,5	62,5	102	97	110	ZRA112130100	ZRA112130100	*)

*) Bitte Preisliste anfordern!

*) Please, request price list!

Muttern DIN 11851

Nut DIN 11851




Schlauch Hose DN	Gewinde Thread R1	L	Maßzahlen Dimensions C	D	Artikel Article	Bestell-Nummer Order-No.	Preis Price €
20	44x1/6"	21	31	54	ZDIN H 20	ZDIN H 20	*)
25	52x1/6"	21	36	63	ZDIN H 25	ZDIN H 25	*)
32	58x1/6"	21	42	70	ZDIN H 32	ZDIN H 32	*)
40	65x1/6"	21	49	78	ZDIN H 40	ZDIN H 40	*)
50	78x1/6"	22	62	92	ZDIN H 50	ZDIN H 50	*)
65	95x1/6"	25	80	112	ZDIN H 65	ZDIN H 65	*)
75	110x1/4"	-	-	-	ZDIN H 80	ZDIN H 80	*)
100	130x1/4"	-	-	-	ZDIN H 100	ZDIN H 100	*)

Tri-Clamp Spannringkupplung

ISO 2852

Tri Clamp ISO 2852 for Flexible



Schlauch Hose DN	L	E	Maßzahlen Dimensions L2	A	C	D	Artikel Article	Bestell-Nummer Order-No.	Preis Price €
12	39,3	25	20	14,5	10	21	ZTC2512	ZTC2512	*)
12	44,3	34	20	14,5	10	25,3	ZTC3412	ZTC3412	*)
19	50,3	34	24	20	16	25,3	ZTC3419	ZTC3419	*)
19	51,8	50,5	24	20	16	38,6	ZTC5019	ZTC5019	*)
25	55	50,5	24,5	26,5	22,5	38,6	ZTC5025	ZTC5025	*)
32	60,8	50,5	32	32	27	38,6	ZTC5032	ZTC5032	*)
38	64	50,5	32,5	37,2	33	47	ZTC5038	ZTC5038	*)
38	64	64	32,5	37,2	33	51,6	ZTC6438	ZTC6438	*)
40	62,8	50,5	31	39,5	34	38,6	ZTC5040	ZTC5040	*)
40	62,8	64	31	39,5	34	51,6	ZTC6440	ZTC6440	*)
50	73	64	41,5	51,8	44,5	57	ZTC6450	ZTC6450	*)
65	89,4	91	53	65	58	73,5	ZTC9165	ZTC9165	*)


*) Bitte Preisliste anfordern!

*) Please, request price list!

Anschweißverschraubung

mit Dichtkopf DIN 11851

Liner to Weld




Schlauch Hose DN	Maßzahlen Dimensions				Artikel Article	Bestell-Nummer Order-No.	Preis Price €
L	E	C	D				
20	18	25	20	36	ZDIN S 20	ZDIN S 20	*)
25	22	31	26	44	ZDIN S 25	ZDIN S 25	*)
32	25	37	32	50	ZDIN S 32	ZDIN S 32	*)
40	26	43	38	56	ZDIN S 40	ZDIN S 40	*)
50	28	55	50	68	ZDIN S 50	ZDIN S 50	*)
65	32	72	66	86	ZDIN S 65	ZDIN S 65	*)
75	-	-	-	-	ZDIN S 80	ZDIN S 80	*)
100	-	-	-	-	ZDIN S 100	ZDIN S 100	*)

Anschweißverschraubung

mit Außengewinde DIN 11851

Weld Male DIN 11851



Schlauch Hose DN	Gewinde Thread R1	Maßzahlen Dimensions			Artikel Article	Bestell-Nummer Order-No.	Preis Price €
L	E	C					
20	44x1/6"	24	25	20	ZDIN M 20	ZDIN M 20	*)
25	52x1/6"	29	31	26	ZDIN M 25	ZDIN M 25	*)
32	58x1/6"	32	37	32	ZDIN M 32	ZDIN M 32	*)
40	65x1/6"	33	43	38	ZDIN M 40	ZDIN M 40	*)
50	78x1/6"	35	55	50	ZDIN M 50	ZDIN M 50	*)
65	95x1/6"	40	72	66	ZDIN M 65	ZDIN M 65	*)
75	110x1/4"	-	-	-	ZDIN M 80	ZDIN M 80	*)
100	130x1/4"	-	-	-	ZDIN M 100	ZDIN M 100	*)


*) Bitte Preisliste anfordern!

*) Please, request price list!

Anschweißverschraubung

DIN 11851

DIN Union for Pipe Welding



Schlauch Hose DN	Gewinde Thread R1	Maßzahlen Dimensions				Artikel Article	Bestell-Nummer Order-No.	Preis Price €
		L	E	C	D			
20	44x1/6"	36	25	25	54	ZDIN 20	ZDIN 20	*)
25	52x1/6"	45	31	31	63	ZDIN 25	ZDIN 25	*)
32	58x1/6"	51	37	37	70	ZDIN 32	ZDIN 32	*)
40	65x1/6"	53	43	43	78	ZDIN 40	ZDIN 40	*)
50	78x1/6"	57	55	55	92	ZDIN 50	ZDIN 50	*)
65	95x1/6"	65	72	72	112	ZDIN 65	ZDIN 65	*)
75	110x1/4"	-	-	-	-	ZDIN 75	ZDIN 75	*)
100	130x1/4"	-	-	-	-	ZDIN 100	ZDIN 100	*)


*) Bitte Preisliste anfordern!

*) Please, request price list!

Dichtringe Silikon/PTFE

für DIN 11851

DIN Union for Pipe Welding



Schlauch Hose DN	Mat.	L	Maßzahlen Dimensions C	D	Artikel Article	Bestell-Nummer Order-No.	Preis Price €
20	Silikon	4,5	23	33	JDIN S 20	JDIN S 20	*)
25	Silikon	5	30	39	JDIN S 25	JDIN S 25	*)
32	Silikon	5	36	46	JDIN S 32	JDIN S 32	*)
40	Silikon	5	42	52	JDIN S 40	JDIN S 40	*)
50	Silikon	5	54	64	JDIN S 50	JDIN S 50	*)
65	Silikon	5	71	80	JDIN S 65	JDIN S 65	*)
75	Silikon	-	-	-	JDIN S 80	JDIN S 80	*)
100	Silikon	-	-	-	JDIN S 100	JDIN S 100	*)
20	PTFE	4,5	23	33	JDIN P 20	JDIN P 20	*)
25	PTFE	5	30	39	JDIN P 25	JDIN P 25	*)
32	PTFE	5	36	46	JDIN P 32	JDIN P 32	*)
40	PTFE	5	42	52	JDIN P 40	JDIN P 40	*)
50	PTFE	5	54	64	JDIN P 50	JDIN P 50	*)
65	PTFE	5	71	80	JDIN P 65	JDIN P 65	*)
80	PTFE	-	-	-	JDIN P 80	JDIN P 80	*)

*) Bitte Preisliste anfordern!

*) Please, request price list!